



Original Research Article

A Study on Socio-Demographic Profile and Health Profile of Traffic Police Personnel of Ahmedabad City, Gujarat, India

Paresh Prajapati¹, Krunal Modi², Kirti Rahul³, Geeta Kedia⁴

¹Community Health Physician, Gram Seva Trust, Kharel, Navsari, Gujarat

²Assistant Professor, Community Medicine Department, GMERS Medical College, Dharpur-Patan, North Gujarat

³Tutor, Community Medicine Department, GMERS Medical College, Valsad, South Gujarat

⁴Professor & Head, Community Medicine Department, B. J. Medical College, Ahmedabad

Corresponding Author: Krunal Modi

Received: 12/01/2015

Revised: 10/02/2015

Accepted: 12/02/2015

ABSTRACT

Background: The work environment constitutes an important part of man's total environment, so health to a large extent is affected by work conditions. Traffic policemen are key persons in maintaining day to day traffic but their health and safety are rarely taken care of and it is the matter of concern.

Aims: 1. To study the Socio-demographic profile of the traffic policemen. 2. To study the general health profile of the same.

Setting and Design: It was a cross-sectional study in Ahmedabad city, Gujarat

Materials and Methods: A structured, predesigned and pretested proforma was used to interview traffic policemen in Ahmedabad city with prior permission. After pilot study, 482 traffic police personnel distributed in 33 traffic booths were studied. Prior verbal and written consent was taken during study. Information was collected regarding their socio-demographic profile, job-profile, physical health profile, job related stress, what kind of problems faced by them, etc.

Results: The study included 482 individuals including men were 98.5% and women were 1.5%. All were literate with 95% were Hindu. 56% had job experience about 3-6 years. 3% had varicose vein, 5% had color blindness, 12% had ear problems, 45% had eye problems, 32% had respiratory problems, 62% had joint problems, 41% had gastric problems, and 16% had disturbed sleep due to various reasons.

Conclusion: The study has thrown light on health status of traffic police personnel who are suffering from many health problems which can be easily handled by simple interventions like periodic health checkups and personal care.

Key words: Socio-demographic profile, Traffic policemen, Cross-sectional study

INTRODUCTION

Occupational environment plays a major role on the health of the exposed. The health hazards get more severe when the duration of the exposure increases. This fact

is more important in situation where the personnel are engaged in traffic duty. ^[1]

In urban areas mobile or vehicular pollution is predominant and significantly contributes to air quality problems. Air pollution from automobile exhaust and

vehicular traffic density has become a serious problem particularly in metropolitan cities in India. Road traffic produces VOC (Volatile Organic Compounds), SPM (Suspended Particulate Matter), SO₂ (Sulphur Oxides), NO₂ (Nitrogen Oxides), & CO (Carbon Monoxide) which makes adverse health effects on the exposed population. The contribution of air pollution in urban areas can be calculated based upon the dispersion and distribution of traffic and population. [2,3]

Noise pollution in mega cities is considered to be one of the most important and pressing problems. Increasing urbanization has led to mounting volumes of noise. Noise pollution is extra, annoying, disturbing and physically harmful noise in the environment. [4]

In any metropolitan city a common man's life moves along with its traffic. For them life becomes smooth and less stressful, if the traffic is smooth. [2] The traffic population has grown enormously in last two decades. As a result there is an enormous increase in vehicular traffic emitting exhaust and polluting the atmosphere.

That is why, the city of Ahmedabad is particularly challenging for those attempting to regulate the traffic. The traffic police, especially the constables play a significant role to keep the traffic moving where the population density is very high. [5] These personnel have to undergo physical strain in environment polluted by fumes, exhaust of vehicles, use of blowing horns, blow of dust in the air by a speeding vehicle, etc. All these factors pose as a health hazard. [1]

With the above background, the present study was carried out to assess the health status of traffic police personnel of Ahmedabad city and to find out related risk factors, so that appropriate preventive

measures can be recommended for safeguarding their health.

MATERIALS AND METHODS

Ahmedabad is rapidly growing city of India with 6.24 million population and population density of 890/sq.km. Total number of vehicle in the district was 27 lakh, out of which 22 lakh vehicles are two wheelers and 4.77 lakh are four wheelers in year 2011. Out of them 80% were in the city. [6] The present study was conducted at traffic booths of Ahmedabad city. A list of traffic booths of Ahmedabad city was obtained and all traffic booths of Ahmedabad city as per the list were included in the study.

Inclusion and exclusion Criteria:

All traffic police personnel of Ahmedabad City were to be interviewed and examined. Only those who were posted in task force and interceptor were excluded because they were not posted at fixed place. Traffic police personnel, available at booth when the study was being carried out, were interviewed and examined at the same traffic booth.

Study Design:

Cross sectional.

Study Instrument:

Pre-designed and pretested questionnaire was used for the study.

Data Collection:

Before conducting the study, prior permission of the DCP of Traffic Police was taken. A pilot study was done before in which 50 traffic police personnel were interviewed and examined. After that, necessary modifications were made in questionnaire.

There were 33 traffic booths in Ahmedabad city. Each of them was having Police Sub Inspector or Assistant Sub Inspector as the In Charge officer of the booth. Total of 482 traffic police personnel distributed in 33 traffic booths were studied.

Numbers of traffic police personnel were different in all traffic booths, because they had been posted according to density of traffic of the particular area covered under the booth. All the traffic police personnel were informed in advance about the day and date on which the study was to be done.

All the booths were visited twice a day; during morning shift and evening shift. Traffic police personnel present at booth were interviewed and examined.

Information was collected regarding their socio-demographic profile, job-profile, physical health profile, job related stress, what kind of problems faced by them, etc.

All of them were clinically examined at the booth. In the clinical examination, weight, height, Blood Pressure, pulse, waist circumference, and hip circumference, presence of visible varicose veins, tongue, conjunctiva, nail, sclera and teeth were examined. Blood Pressure of each traffic police personnel was measured by digital sphygmomanometer in sitting position. Color blindness was checked with the help of Ichihara chart.

Analysis and triangulation:

Data entry and data analysis was done in Epi-Info software version 7.0. Percentage (Frequency) and Chi-Square test was used to test the significance.

RESULTS

Table 1 depicts that 68.87% of respondents were in the age group of 35 to 55 years. Mean age of respondents was 43.62±9.85 years. Only 1.46 % of the respondents were females. Very few (2.29%) were educated up to post graduate level. Rests of the respondents were educated up to secondary level (35.68%), higher secondary (39.62%) and graduate (22.20%). Majorities (94.61%) of respondents were Hindu and 41.28% respondents were in open category.

Table 1: Socio-demographic profile of study population (n=482)

No.	Demographic profile	Frequency	Percent
1	Age in years		
	>18 - 25	36	7.46%
	>25 - 35	67	13.90%
	>35 - 45	147	30.49%
	>45 - 55	185	38.38%
	>55 - 65	47	9.77%
2	Gender		
	Female	7	1.46%
	Male	475	98.54%
3	Literacy Status		
	Primary	1	0.21%
	Secondary	172	35.68%
	Higher secondary	191	39.62%
	Graduate	107	22.20%
	Post Graduate	11	2.29%
4	Religion		
	Hindu	456	94.61%
	Muslim	24	4.97%
	Christian	2	0.42%
5	Cast		
	SC	78	16.18%
	ST	88	18.27%
	SEBC	117	24.27%
	Open	199	41.28%

Table 2: Socio-economic status of study population (n=482)

Socio-economic class	Frequency	Percent
Class I	45	9.33%
Class II	211	43.77%
Class III	171	35.48%
Class IV	52	10.79%
Class V	3	0.63%

According to modified Prasad’s classification, 43.77% belonged to socio-economic class-II and 35.48% belonged to socio-economic class-III. (Table 2)

Table 3: Distribution of study population according to their job-experience and traffic (n=482)

No.	Job-experience and traffic	Frequency	Percent
1	Experience in years		
	0-3 yrs	187	38.79%
	3-6 yrs	279	57.88%
	>6 yrs	16	3.33%
2	Traffic at the job place		
	Low	8	1.67%
	Medium	140	29.04%
	Heavy	334	69.29%

Table 3 shows that 57.88% traffic police personnel were having job experience of 3 to 6 years and 69.29% of respondents were exposed to heavy vehicular traffic at job place.

Table 4: Distribution of study population according to different diseases

	Frequency	Percent
Varicose veins		
Yes	14	2.91 %
No	468	97.09 %
Color Blindness		
Yes	25	5.19 %
No	457	94.81 %
Ear problems		
Tinnitus	3	0.64%
Discharge	6	1.24%
Pain	6	1.24%
Reduced hearing	43	8.92%
None	424	87.96%
Eye problems		
Itching	2	0.41 %
Watering	45	9.34%
Redness	63	13.07%
Burning	106	21.99%
None	266	55.19%
Respiratory Problems		
Recurrent RTI	6	1.24%
Chronic dry cough	14	2.90%
Chronic sputum	14	2.90%
Rhinitis	119	24.68%
None	329	68.28%
Total	482	100.00 %

Table 5: Distribution of study population according to chronic joint pain, GIT problems and sleep pattern (n=482)

No.	Health problems	Frequency	Percent
1	Joint Pain (multiple responses)		
	Hip	2	0.41 %
	Shoulder	11	2.28 %
	Cervical	18	3.73 %
	Ankle	55	11.41 %
	T-L Spine	98	20.33 %
	Knee	156	32.36 %
	None	180	37.34 %
	Burning in Sole	204	42.32 %
2	GIT Problems (multiple responses)		
	Recurrent Diarrhea	5	1.03 %
	Fissure	6	1.24 %
	Piles	22	4.56 %
	Gas	59	12.24 %
	Acidity	75	15.56 %
	Constipation	123	25.52 %
	None	285	59.13 %
3	Sleep Pattern		
	Broken in spells	13	2.69%
	Inadequate	66	13.69%
	Adequate	403	83.62%

Out of total respondents only 2.91% were having varicose veins. Only 5.19% traffic police personnel had color blindness. 8.92% traffic police personnel were having problem of reduced hearing. 21.99% and 13.07% traffic police personnel were having burning sensation in eyes and redness in

eyes respectively. 24.68% traffic police personnel were having rhinitis. (Table 4)

Table 5 shows that 42.32% traffic police personnel were having burning in sole, followed by 32.36% with pain in knee joint and 20.33% with pain in back. 25.52% were having constipation, 15.56% were having acidity and 12.24% were having gas trouble. 13.69% and 2.69% respondents were having inadequate sleep and broken spells of sleep respectively.

Table 6: Distribution of study population according to bad experiences in past (n=482)

Bad Experiences (multiple responses)	Frequency	Percent
Sudden fall	01	0.20%
Loss of Consciousness	02	0.41%
Excessive Perspiration	13	2.69%
Severe Discomfort	13	2.69%
Vertigo	65	13.48%
None	411	85.27%
Total	482	100.00 %

Table 6 depicts that 13.48% of respondents had experienced vertigo during job hours in the past.

DISCUSSION

Present study to assess the health profile of traffic policemen was done using a pre-tested questionnaire, is largely dependent upon information given by the respondents. Although traffic police personnel were informed to provide the information independently and honestly, mutual influence between traffic police personnel could not be entirely ruled out. Due to large sample size, the results should closely resemble and reflect the health profile of the traffic police personnel of Ahmedabad city.

In the present study 68.87% traffic police personnel were in age group of 35 years to 55 years and 98.54% numbers of traffic police personnel were males. Findings of this study are similar to that of the study of Satpathy et al, in which majority (89.60%) of them were between 30-50 years of age and 89.60% traffic police

personnel were males. [1] The average age of traffic police personnel in the present study was 43.52±9.85 years. A study conducted by Kavana et al, showed that average age of traffic police personnel was 46±6.78 years. [7] 39.62% of traffic police personnel were educated up to higher secondary level and 22.20% of them were graduate. 94.61% traffic police personnel belonged to Hindu religion. 41.28% traffic police personnel were in open category and 24.27% belonged to SEBC category. 43.77% traffic police personnel belonged to socio economic class II and 35.48% were in socio economic class III.

In the present study 57.88% respondents were having job experience of 3 to 6 years. 69.29% traffic police personnel were exposed to heavy vehicular traffic whereas only 1.67% was exposed to low traffic at job place. In the present study 2.91% respondents had varicose veins, while in the study conducted by Satpathy et al, only 4.17% persons had varicose veins of legs. This may be due to prolonged standing hours or may be due to obesity. [1]

Prevalence of eye problems was 44.81%, in which most common problem was burning sensation with prevalence of 21.99% followed by redness, watering and itching. Satpathy et al, in his study found that prevalence of visual difficulties was 6.25%. [1] As published in Khaleej Times of Hyderabad, about 7% of traffic cops had complained about eye-related problems. [8]

In the present study prevalence of ear problems was 12.04%, among which most common was reduced hearing (8.71%) followed by ear ache (1.24%), discharge from ear (1.24%) and tinnitus (0.62%). Shrestha et al, in their study found that out of all participants; 23.60% had tinnitus and 35.50% were having some blocked sensation in ear and had difficulty hearing in noisy environment. Most of them had mild hearing loss 51.80%, 13.60% had moderate whereas

only 0.90% had severe hearing loss. [1] As published in Khaleej Times of Hyderabad, about 25.00% of the traffic cops were facing hearing impairment due to high levels of noise pollution. [8]

The continuous vehicular exhaust inhalation can lead to development of the symptoms of lower respiratory tract such as cough, shortness of breath and pain with inspiration. Prevalence of respiratory problem in the present study was 31.53%, with maximum prevalence of 24.68% for rhinitis. It was followed by chronic dry cough (2.90%), chronic sputum (2.90%) and recurrent RTI (1.03%). Similar results were observed in study of G. Thappanna et al, describing that 54.40% traffic constables had one or other health problem among which respiratory problems were more common. Mainly they had complaints of irritating cough and tightness of chest. [9] Satpathy et al, reported that only 16% of subjects were having respiratory disorders like rhinorrhoea, chronic bronchitis, pharyngitis, etc. [1] Sopan et al, found that 40% of the traffic policemen were suffering from frequent coughing, 10% from shortness of breath and 29% from irritation in respiratory tract. The long term exposure to pollution may be the reason for respiratory symptoms among the traffic policemen. [2]

In the present study 62.65% traffic police personnel were having joint problems, in which most common was burning sole (42.32%). It was followed by pain in knee joint (32.36%), back pain (20.33%) and others (17.84%). Satpathy et al, reported the different morbidity patterns in the traffic police personnel, in which 27.08% of them were having musculoskeletal disorders. [1] Prevalence of GIT problems in the present study was 40.87% with maximum prevalence of 25.52% for constipation. It was followed by acidity (15.56%), gas trouble (12.24%), piles (4.56%), fissure (1.24%) and recurrent

diarrhea (1.03%). GIT problems were more common in those who had job experience of more than 6 years. In the present study 16.39% of traffic police personnel were having inadequate or broken sleep, whereas 83.61% were having adequate sleep. 13.48% of traffic police personnel had ever experienced vertigo during job hours, followed by excessive perspiration (2.69%), severe discomfort (2.69%) and loss of consciousness (0.62%).

CONCLUSION

The job of traffic police personnel is a tough job, which has a direct influence on their life as it is found that many traffic police personnel suffer from critical respiratory problems, partial deafness, high blood pressure and gastric problems due to irregular food habits are also frequently reported. Findings of the present study also show that many of them were suffering from joint problems, GIT problems, eye problems and respiratory problems. Physical health problems can become the barriers for discharging their duties efficiently. Nearly half of them were experiencing job stress, which was disturbing their sleep pattern, appetite and family life. Prevalence of hypertension and obesity was also high. Stress has a negative effect on the health of the traffic police personnel and makes them more susceptible to heart attacks and strokes. Many of traffic police personnel were having habit of tobacco consumption, which made their health situation worse. Moreover, they were not provided any insurance and basic facilities like drinking water and toilet facilities.

Recommendations

The traffic police personnel play significant role to keep the traffic moving where the population density is very high. Their job is physically demanding as well as mentally challenging. Their physical and psychological well being is a crucial factor

for enhancing their work efficiency. On the basis of the findings of the present study following suggestions are recommended.

Awareness campaign for traffic police personnel should be arranged at regular interval to adopt healthy life style with the emphasis on regular exercise, as this will not only improve their physical health but also be helpful in relieving their stress.

Specific protective devices such as ear plugs/muffs, goggles, masks, good quality shoes should be provided as well as the use of the protective devices should be emphasized.

Regular health check up (audiometric testing, eye testing, pulmonary function test, monitoring of BMI, BP, blood sugar, lipid profile, etc.) of traffic police personnel should be carried out and they should be informed about their health problems; for which they should be properly treated.

Seminars for stress reduction and counseling should be held at regular intervals. Recreational activities to relieve the job stress should be carried out at regular interval.

More number of traffic police personnel should be recruited to reduce work load.

Basic amenities like drinking water, toilet, cabin at each cross road, etc. should be provided.

Every traffic police personnel should be provided health insurance as their job is physically demanding and mentally challenging.

REFERENCES

1. DM Satapathy, TR Behera, RM Tripathy. Health status of traffic police personnel in Brahmapur city. Indian journal of community medicine 2009; 34(1): 71-72.

2. Sopan T Ingle, Bhushan G. Pachpande, Nilesh D. Wagh, Vijaybhai S. Patel, Sanjay B. Attarde. Exposure to vehicular pollution and respiratory impairment of traffic policemen in Jalgaon city, India. *Industrial Health* 2005; 43:656-662
3. Biava PM, Audisio R, Centonze A, Barbieri A, Bisanti L, Duca G. An epidemiological study of the health conditions of Milan traffic police with respect to pollution from vehicular traffic. *Med Lav* 1992; 83: 249-58.
4. Nandi SS, Dhattrak SV. Occupational noise induced hearing loss in India. *Indian J Occup Environ Med* 2008; 12 (2): 53-56.
5. Sibnath Deb, Tanusree Chakraborty, Pooja Chatterjee and Neerajakshi Srivastava. Job-related Stress, Causal Factors and Coping Strategies of Traffic Constables. *Journal of the Indian Academy of Applied Psychology*. 2008; 34(1):19-28.
6. Prashant Thakor. More vehicles on Ahmedabad roads bring better moolah for traffic dept. *DNA*. Friday November 11; 2011.
7. Kavana G. Venkatappa, M.S. Vinutha Shankar. Study of association between noise levels and stress in traffic policemen of Bengaluru city. *Biomedical Research* 2012; 23 (1): 135-13.
8. P S Jayaram. Traffic cops bear brunt of pollution. *Khalez times of Hyderabad*. 29 October; 2012.
9. G. Thippanna, Sudeep Lakhtakia. Spirometric evaluation of traffic police personnel. Exposed to automobile pollution in twin cities of Hyderabad and Secunderabad. *Indian Journal of Tuberculosis* 1999; 46:129.

How to cite this article: Prajapati P, Modi K, Rahul K et. al. A study on socio-demographic profile and health profile of traffic police personnel of Ahmedabad city, Gujarat, India. *Int J Health Sci Res*. 2015; 5(3):12-18.
