ISSN: 2249-9571

Review Article

A Review on Medicinal Uses of Zingiber officinale (Ginger)

Kankanam Gamage Chithramala Dissanayake¹, Waliwita Angoda Liyanage Chandrasiri Waliwita², Ruwan Priyantha Liyanage³

¹Senior Lecturer, Dissanayake KGC, ²Senior Lecturer, Waliwita WALC, ³Lecturer (Temporary), Liyanage RP, Department of Cikitsa, Gampaha Wickramarachchi Ayurveda Institute, University of Kelaniya, Yakkala, Sri Lanka

Corresponding Author: Kankanam Gamage Chithramala Dissanayake

ABSTRACT

Rhizome of *Zingiber officinale* (ginger) is extensively used in medicinal purpose. Ayurveda literatures highlight administration of ginger in both of communicable and non-communicable diseases. Recent advances in analytical chemistry, cytology and microbiology recommend application of ginger in various disease conditions as well as recommendations in Ayurveda literature. The current study focused on review ethno medicinal value of *Z. officinale* including antiviral effect, radioprotective effect, anti-inflammatory effect, anticancer effect and antioxidant effect with special reference to Ayurveda recommendations. The study elaborates; ginger is effective in viral infections and revitalizing the body at disease conditions according to both of Ayurveda and modern concepts through enhancing appetite, immunity and re-boosting weakened physiological functions of the human body. Active ingredients which available in ginger such as 6-gingerole, 6-shogaol, 6-paradol, zingerole and zerumbone are responsible in upgrading enzyme actions and balancing circulation through rejuvenating the body with physical re-strengthening.

Key Words: ginger, antipyretic, anti-inflammatory, anticancer, antioxidant

INTRODUCTION

Rhizome of Zingiber officinale is widely used in both of medicinal and culinary purposes in globally due to its ethno medicinal and nutritious value. Most of traditional and complementary systems of medicine such as Ayurveda, Siddha, Unani, Homeopathy, Tibetan and Chinese etc. prescribe Z. officinale individually or as a combination in both of infective and noncommunicable diseases. [1] The plant is investigated mostly for antimicrobial. anticancer, antioxidant, antidiabetic, nephroprotective, hepato-protective, larvicidal, analgesic, anti-inflammatory and immunomodulatory activities. [2-11]

In Ayurveda literature ginger is mostly recommended for enhancement of appetite (Deepani), alleviate constipation (Bhedini), appetizer (Ruchya), clear the tongue and throat (jihwa kanta vishodhanam), balancing circulation (Anulomana), cardio-protective (Hrudya), enhance digestion (Pachana), dissolve (Ashmadoshahara), nutritious calculi (Vrishya), improve voice (Swarya), alleviate cough (Kasahara), alleviate asthma (Swasahara), analgesic (Sulahara), absorption of water through alimentary channel (Grahi), alleviate coldness (Sheeta Prashamana), anti-edematous (Shotha Hara). pain management (Vedana Sthapana), nerve stimulant (Nadi Uttejaka), appetizing (Rochana), alleviate thirst (Truptighna), restoration of proper circulation (Vatanulomana), alleviate pains (Shoola Prashamana), alleviate hemorrhoids (Arshoghna), anti-pyretic (Jwaraghna) and alleviate stagnate mucous (Sleshma Hara).

Ginger is extensively used in loss of appetite (Agnimandya), asthmatic conditions (Svasa). bloated stomach (Adhmana). rheumatoid conditions (Amavata), anemic conditions (Pandu), liver conditions and disorders associated (Udararoga), vomitings (Chardi), swollen joints (Sandhi Shotha), fatigue (Avasada), back pains (Kati Shoola), mal-digestions (Ajeerna), flatulence (Koshta Vata), malabsorption syndrome (Grahani), stomachache (Udara Shoola), piles (Arsha), weakness in heart functions (Hrud Dourbalya), heart disorders (Hrud Roga), elephantiasis (Sleepada), allergies (Sheetapitta), throat associated disorders (Kanta Roga), cough (Kasa), Hiccough (Hikka), common cold (Pratishya), injuries (Kshata), malnutrition (Ksheena), fever due to infections (Vishama Jwara), chronic fever (Jeerna Jwara), lethargy and physical weakness (Samanya Dourbalya), physical weakness due to delivery (Prasavottara chronic osteoarthritis Dourbalya), conditions (Jeerna Sandhi Vata), headaches (Shira Shoola), pain due to nervous disorders (Vata Nadi Shoola), diabetes (Prameha), loss of speech (Swara Bhanga) and otalgia (Karna Shoola). [12-13]

The current study focuses on review ethno medicinal value of *Z. officinale* including antiviral effect, radioprotective effect, anti-inflammatory effect, anticancer effect and antioxidant effect with special reference to Ayurveda recommendations.

Antiviral effect

Fresh rhizome of Z. officinale has been proven with an antiviral effect against Respiratory Syncytial (HRSV) infection via decreasing HRSVinduced plaque formation in respiratory mucosal cell lines. Therefore, high concentration of Z. officinale could stimulate mucosal cells to secrete IFN-B which responsible in counteracting viral infections by reducing viral attachment and internalization. [14] This effect is much beneficial in the management of common cold (pratishya) and fever associated with mucous secretions and management of complications due to cough and asthmatic conditions.

The lyophilized juice extract of Z. officinale is considered as containing antiviral effect against Hepatitis C viral infection. In the particular study, it has been proven that the Z. officinale is effective in inhibiting the viral replication inside the Hepatitis C virus infected Hep G2 cells by affecting viral RNA [15] as well as, another study elaborates that Z. officinale is effective in decrease of Hepatitis C virus loads, level of α-fetoprotein and markers relevant to liver functions such as Aspartate aminotransferace (AST) and aminotransferace (ALT) in Egyptian HCV Ayurveda recommends patients. administering ginger in udara roga (liver associated diseases conditions), therefore the above finding clarifies the uses of ginger in liver disorders and infective conditions associate the liver.

Aqueous extract of Z. officinale was proven with antiviral effect against Feline Calcivirus. a surrogate for Human Norovirus when in alimentary channel infections due to foodborne causes. [17] Ginger is widely used in alimentary channel disorders under the instructions given in Ayurveda authentic literatures. Especially, in flatulence, constipation, loss of appetite and needs of appetite enhancer, ginger has been recommended. Additionally, ginger is applicable for mal-absorption conditions and digestive diseases. Other than the antiviral effect of ginger in foodborne disorders, Ayurveda elaborates application of ginger in management of complications in foodborne viral infections.

Allicin is an active ingredient which contains in *Z. officinale*, consists with anti-influenza cytokines. Hence, *Z. officinale* is effective as an antiviral agent against influenza A (H1N1). [18] Macrophage mediated inhibitory effect of *Z. officinale* Rosc on the growth of Influenza A/Aichi/2/68 virus was already studied and which suggests *Z. officinale* is beneficial in

macrophage activation leading to production of TNF- α . [19]

Essential oil of *Z. officinale* is affected genital origin Herpes simplex virus type 2 (HSV-2) mainly before adsorption probably by interacting with the viral envelope. ^[20] In another study, acyclovirresistant clinical isolates of Herpes simplex virus type 1 (HSV-1) were analyzed in vitro for their susceptibility to essential oil of ginger and found high level of virucidal activity against acyclovir sensitive strains and acyclovir resistant HSV-1 clinical isolates and reduced plaque formation significantly. ^[21]

Radioprotective Effect

Oral administration of hydroalcoholic extract of *Z. officinale* rhizome for mice are effective in protecting against gamma radiation induced sickness and mortality due to phytochemical actions such as dehydrogingerone and zingerone. As well, zingerone selectively protects the normal tissues against the tumoricidal effects of radiation in tumor bearing mice. [22]

The hydro-alcoholic extract of Z. officinale rhizome depicts gastro-protective action against radiation induced conditioned taste aversion in rats. Administration of hydro-alcoholic extract of Z. officinale one hour before 2-Gy gamma radiation was significantly effective in blocking the saccharine response of rats [23] as well as Sharma et al, suggests that neurobehavioral efficacy of hydro-alcoholic extract of Z. officinale and its antioxidant properties effect in modulate radiation induced taste aversion with radio-protective properties the lipid peroxidation superoxide-anion scavenging ability. [24]

Appetite enhancing effect and alleviation of loss of appetite is a major function of ginger according to the Ayurveda. Pain management (analgesic) effect, alleviation of physical pains and restoration of physic through reducing physical weakness has been mentioned in Ayurveda. Therefore, physical weakness in

radiological exposures could be managed through administering ginger.

Anti-inflammatory Effect

Z. officinale is highly effect in inflammations associated with alimentary channel such as colitis. The responsible with poshatidylinositol-3-kinese (PI3K), protein kinese B (Akt) and the nuclear factor kappa light chain enhancer of activated B cells (NF-kB), as well as 6shogaol responsible in protective effects against tumor necrosis factor α (TNF- α) induced intestinal dysfunction in human intestinal cell models. [25] In physically, promote attenuate inflammation at postexercise elevation of cytokines such as plasma IL-1β, IL-6 and TNF-α. [26] In inflammatory bowel disease, Z. officinale is highly effective, because of protein kinese B (Akt) and the nuclear factor kappa light chain enhancer of activated B cells (NF-κB) contains. As a result, an enhancement in anti-inflammatory cytokines and a decline in pro-inflammatory cytokines could be observed. Therefore, an applicable remedy is available at inflammatory bowel disease.

Gingerole in Z. officinale containing anti-prostaglandin effects which beneficial in menstrual pain at dysmenorrhea condition. [28] Other than the prostaglandin, ginger inhibits leukotriene biosynthesis through suppression of 5lipoxygenase synthesis. Rhizome hexane fraction extract of Z. officinale inhibit excessive production of Nitric oxide and IL-18 allergic reactions. Therefore management and prevention from allergic conditions are supported by Z. Officinale. [29-30] 6-shagol in Z. officinale is highly effective in gout as a rheumatic disease of joints. [31]

Restoration of heart functions, pain management effect and management of physical weakness and reestablishing of appetite denote anti-inflammatory activity of ginger referring Ayurveda recommendations.

Anti-cancer Effect

Z. officinale exhibits antiinflammatory and anti-tumorigenic effects due to its bio active molecules such as 6-6-shogaol, gingerole, 6-paradol zerumbone, as a result prevention or control from colorectal, gastric ovarian, liver, breast and prostate cancers is possible. [32-39] Z. activates enzymes such as officinale glutathione peroxidase, glutathione transferase and glutathione reductase and suppress colon carcinogenesis. [40] Oral administration of Zerumbone effects in inhibition of multiplicity of colonic adenocarcinomas through suppression of colonic inflammation due to inhibition of proliferation, induction of apoptosis and suppression of NF-κB and heme oxygenase expression. [36] In (HO)-1carcinomas, gingerol and shogaol effect in TRAIL induced NF-kB, suppresses cIAP1 expression and increases TRAIL induced caspase-3/7 activation which promotes apoptosis [34] as well gingerol is effect in liver cancers by arresting cell cycle and induction of apoptosis. inhibition of human epidermoid carcinoma cells via reactive oxygen species (ROS) induced apoptosis is exhibited by gingerol with conciderable amount of toxicity. [42] Active compounds of Z. officinale effect in controlling ovarian cancers via inhibition of NF-kB activation and diminished secretion of VEGF and IL-8. [43] Zerumbone is also effect in controlling pancreatic cancers through p53 signal pathway, formation of apoptotic bodies, condensed nuclei and the increased activity of caspase-3. [44]

Maintaining, proper circulation, nervous conduction, heart functions and balancing digestive and absorptive disorders through enhancing appetite is beneficial in enhancement of the immunity of the body which supports in alleviate abnormal growths and malfunctions of physiological body.

Antioxidant Activity

Z. officinale is effective Parkinson's disease because zingerone, an active ingredient in ginger scavenged peroxide and hydroxyl ions as well as suppress lipid peroxidation. [45] Ginger consists with renoprotective effect in renal failures because of anti-inflammatory properties by attenuating serum C-reactive protein levels and antioxidant effects by peroxidase reducing lipid malondialdehyde levels and increasing renal superoxide dismutase activity. [46] Carbon tetra chloride and acetaminophen induced liver damages in acute liver injuries are preventing. [47]

Through proper digestion and absorptions, as well as maintaining proper circulations ginger supports elevation of waste productions while physiological functions. Hence accumulation of physical excretions evacuates from the body and immune-enhancement is occurred.

CONCLUSION

Ayurveda recommends Zingiber officinale (ginger) to manage various disease conditions in spite of mentioning modern perspectives on antiviral, radioprotective, anti-inflammatory, anticancer and antioxidant effects. Even traditional Ayurveda classics provide strong literature base to administer ginger in various diseases mentioning complication or associated symptoms of many disorders. Recent advances in phytochemistry and ethnomedicinal elaborate uses of ginger in viral infections, carcinogenic conditions and physiological needs. Comparing recommendations of ginger in medicinal purpose according to the Ayurveda literatures could be applied in modern scenarios in disease prevention and health promotion.

REFERENCES

 Grzanna R, Lindmark L, Frondoza C, Ginger - A herbal medicinal product with broad anti-inflammatory actions, J Med Food, 2005, 8(2), 125-132.

- 2. Omoya FO, Akharaiyi FC, Mixture of honey and ginger extract for antibacterial assessment on some clinical isolates, International Journal on Pharmaceutical and Biomedical Research, 2011, 2(1), 39-47.
- 3. Ayse N, Duygu AT, Hakký AI, Tansel OY, Ýsmet DG, Ismail K, Antimicrobial and cytotoxic activities of Zingiber officinalis extracts,FABAD J Pharm Sci, 2008, 33(2), 77-86.
- 4. Al-Tahtawy RHM, El-Bastawesy AM, Monem MGA, Zekry ZK, Al-Mehdar HA, El-Merzabani MM, Antioxidant activity of the volatile oils of Zingiber officinale (ginger), Spatula DD, 2011, 1(1), 1-8.
- Akhani SP, Vishwakarma SL, Goyal RK, Anti-diabetic activity of Zingiber officinale in streptozotocin-induced type I diabetic rats, J Pharm Pharmacol, 2004, 56(1), 101-105.
- Ajith TA, Nivitha V, Usha S, Zingiber officinale Roscoe alone and in combination with á-tocopherol protect the kidney against cisplatin-induced acute renal failure, Food and Chemical Toxicology, 2007, 45(6), 921-927.
- 7. Abdullah N, Saat NZM, Hasan HA, Budin SB, Kamaralzaman S, Protective effect of the ethanol extract of Zingiber officinale Roscoe on paracetamol induced hepatotoxicity in rats, Jurnal Sains Kesihatan Malaysia, 2004, 2(2), 85-95.
- 8. Lin RJ, Chen CY, Chung LY, Yen CM, Larvicidal activities of ginger (Zingiber officinale) against Angiostrongylus cantonensis, Acta Trop, 2010, 115(1-2), 69-76.
- 9. Raji Y, Udoh US, Oluwadara OO, Akinsomisoye OS, Awobajo O, Adeshoga K, Anti-inflammatory and analgesic properties of the rhizome extract of Zingiber officinale, Afr J Biomed Res, 2002, 5, 121-124.
- Carrasco FR, Schmidt G, Romero AL, Sartoretto JL, Caparroz-Assef SM, BersaniAmado CA, Cuman RK, Immunomodulatory activity of Zingiber officinale Roscoe, Salvia officinalis L. and Syzygium aromaticum L. essential oils: evidence for humor- and cell-mediated responses. J Pharm Pharmacol, 2009, 61(7), 961-967.
- 11. Bhavaprakasha. Mishra S. Bhavaprakasha Nighantu Vidyodhini hindi commentary.

- 10th edi. Varanasi: Chaukhamba orientalia; 2002. p.15.
- 12. Sharma PV, Sharma GP. Kaiyadeva Nighantu. 1st edi. Varanasi: Chaukhamba orientalia; 2009. p.213.
- 13. Sastry JLN, Raghnathan K. Madhanapala Nighantu. 1st edi. Varnasi: Chaukhamba Orientalia; 2010.
- 14. Chang JS, Wang KC, Yeh CF, Shieh DE, Chiang LC. Fresh ginger (Zingiber officinale) has anti-viral activity against human respiratory syncytial virus in human respiratory tract cell lines. Journal of Ethnopharmacology, 2013, 145(1), 146-151.
- El-Wahab AA, El-Adawi H, El-Demellawy M. In-vitro study of the antiviral activity of Zingiber Officinale. Planta Med. 2009, 75-PF7
- 16. Abdel-Moneim A, Morsy BM, Mahmoud AM, Abo-Seif MA, Zanaty MI. Beneficial therapeutic effects of Nigella sativa and/or Zingiber officinale in HCV patients in Egypt. Excli J. 2013, 12, 943–955.
- 17. Aboubakar HA, Nauertz A, Luong NT, Agrawal S, El-Sohaimy SAA, Youssef MM, Goyal SM. In vitro antiviral activity of clove and ginger aqueous extracts against feline calcivirus, a surrogate for human norovirus. J Food Prot. 2016, 79(6), 1001-1012.
- 18. Sahoo M, Jena L, Rath SN, Kumar S. Identification of Suitable Inhibitor against Influenza A (H1N1) Neuraminidase Protein by Molecular Docking. Genomics and Informatics. 2016, 14(3), 96-103.
- 19. Imanishi N, Andoh T, Mantani N, Sakai S, Terasawa K, Shimada Y, Sato M, Katada Y, Ueda K, Ochiai H. Macrophage mediated inhibitory effect of *ingiber officinale* Rosc, a traditional oriental herbal medicine, on the growth of influenza A/Aichi/2/68 virus. 2006. 34(1), 157-169.
- 20. Koch C, Reichling J, Schneele J, Schnitzler P. Inhibitory effect of essential oils against herpes simplex virus type 2. Phytomedicine. 2008, 15(1), 71-78.
- 21. Schnitzler P, Koch C, Reichling J. Suceptibility of drug resistant clinical Herpes simplex virus type 1 strains to essential oils of ginger, thyme, hyssop and sandalwood. Antimicrob Agents Chemother. 2007.
- 22. Baliga MS, Haniadka R, Pereira MM, Thilakchand KR, Rao S, Arora R. Radioprotective effects of *Z. officinale*

- Roscoe (ginger): past, present and future. Food Funct. 2012 Jul, 3(7), 714-723.
- 23. Haksar A, Sharma A, Chawla R, Kumar R, Arora R, Singh S, Prasad J, Gupta M, Tripathi RP, Arora MP, Islam F, Sharma RK. *Zingiber officinale* exhibits behavioral radioprotection against radiation induced CTA in a gender specific manner. Pharmacol Biochem Behav. 2006 June, 84(2), 179-188.
- 24. Sharma A, Haksar A, Chawla R, Kumar R, Arora R, Singh S, Prasad J, Islam F, Arora MP, Sharma RK. Zingiber officinale Rosc modulates gamma radiation induced conditioned taste aversion. Pharmacol Biochem Behav. 200 August, 81(4), 864-870
- 25. Mao QQ, Xu XY, Cao SY, Gan RY, Corke H, Beta T, Li HB. Bioactive compounds and bioactivities of ginger (*Zingiber officinale* Roscoe). Foods. 2019, 8(185), 1-21.
- 26. Zehsaz F, Farhangi N, Mirheidari L. The effect of Zingiber officinale R. rhizomes (ginger) on plasma pro-inflammatory cytokine levels in well-trained male endurance runners. Cent. Eur. J. Immunol. 2014, 39, 174–180.
- 27. Terry R, Posadzki P, Watson LK, Ernst E. The use of ginger (Zingiber officinale) for the treatment of pain: a systemic review of clinical trials. Pain Medicine. 2011, 12, 1808-1818.
- 28. Jung HW, Yoon CH, Park KM, Han HS, Park YK. Hexane fraction of Zingiberis Rhizoma crudus extract inhibits the production of Nitric oxide and proinflammatory cytokines in LPSstimulated BV2 microglial cells via the NF kappa B pathway. Food Chem Toxicol. 2009, 47, 1190-1197.
- 29. Chen BH, Wu PY, Chen KM, Fu TF, Wang HM, Chen CY. Anti-allergic potential on RBL-2H3 cells of some phenolic constituents of Zingiber officinale (Ginger). J Nat Prod. 2009. 72, 950-953.
- 30. Grzanna R, Lindmark L, Frondoza CG. Ginger an herbal medicinal product with broad anti-inflammatory actions. J med Food. 2005. 8(2), 125-132.
- 31. Jeong CH, Bode AM, Pugliese A, Cho YY, Kim HG, Shim JH, Jeon YJ, Li H, Jiang H, Dong Z. 6-gingerole suppresses colon cancer growth by targeting leukotriene A4 hydrolase. Cancer Res. 2009. 69(13), 5584-5591.

- 32. Hung JY, Hsu YL, Li CT, Ko YC, Ni WC, Huang MS, Kuo PL. 6-shogaol an active constituent of dietary ginger, incluces autophagy by inhibiting the AKT/mTOR pathway in human non-small cell lung cancer A 549 cells. J Agri Food Chem. 2009. 57(20), 9809-9816.
- 33. Ishiguro K, Ando T, Maeda O, Ohmiya N, Niwa Y, Kadomatsu K, Goto H. Ginger ingredients reduce viability of gastric cancer cells via distinct mechanisms. Biochem Piophys Res Commun. 2007. 362(1), 218-223.
- 34. Mashadi NS, Ghiasvand R, Askari G, Hariri M, Darvishi L, Mofid MR. Anti-oxidative and anti-inflammatory effects of ginger in health and physical activity. Review of current evidence. Int J Prev Med. 2013. 4(Suppl 1), S36-S42.
- 35. Sung B, Jhurani S, Ahn KS, Mastuo Y, Yi T, Guha S, Liu M, Aggarwal BB. Zerumbone down regulates chemokine receptor CXCR4 Expression Leading to Inhibition of CXCL 12 induced invasion of breast and pancreatic tumor cells. 2008. 68(21), 8938-8944.
- 36. Brown AC, Shah C, Liu J, Pham JT, Zhang JG, Jadus MR. Ginger's (*Zingiber officinale Roscoe*) inhibition of rat colonic adenocarcinoma cells proliferation and angiogenesis in vitro. Phytother Res. 2009. 23, 640-645.
- 37. Kim M, Miyamoto S, Yasui Y, Oyama T, Murakami A, Tanaka T. Zerumbone, a topical ginger sesquiterpene, inhibits colon and lung carcinogenesis in mice. Int J Cancer. 2009. 124, 264-271.
- 38. Lee HS, Seo EY, Kang NE, Kim WK. 6-gingerol inhibits metastasis of MDA-MB-231 human breast cancer cells. J Nutr Biochem. 2008. 19, 313-319.
- 39. Sung B, Murakami A, Oyajobi BO, Aggrawal BB. Zerumbone abolishes RANKL induced NF-kappa B activation, inhibits osteoclastogenesis and suppresses human breast cancer induced bone loss in athymic nude mice. Cancer Res. 2009. 69, 1477-1484.
- 40. Manju V, Nalini N. Chemoprotective efficacy of ginger, a naturally occurring anticarcinogen during the initiation, post-initiation stages of 1,2 dimethylhydrazine induced colon cancer. Clin Chim Acta. 2005. 358(1-2), 60-67.

- 41. Habib SH, Makpol S, Abdul HNA, Das S, Ngah WZ, Yusof YA. Ginger extract (Zingiber officinale) has anti-cancer and anti-inflammatory effects on ethionine-induced hepatoma rats. 2008. 63(6), 807-813.
- 42. Nigam N, Bhui K, Prasad S, George J, Shukla Y. 6-gingerol induces reactive oxygen species regulated mitochondrial cell death pathway in human epidermoid carcinoma A431 cells. Chem Biol Interact. 2009. 181(1), 77-84.
- 43. Rhode J, Fogoros S, Zick S, Wahl H, Griffith KA, Huang J, Liu JR. Ginger inhibits cell growth and modulates angiogenic factors in ovarian cancer cells. BMC Complement Altern Med. 2007. 7,44.
- 44. Zhang S, Liu Q, Liu Y, Qiao H, Liu Y. Zerumbone, a southeast Asian ginger sesquiterpene induced apoptosis of pancreatic carcinoma cells through p53 signaling pathway. Evid Based Complement Alternat Med. 2012. 2012, 1-8.

- 45. Kabuto H, Nishizawa M, Tada M, Higashio C, Shishibori T, Kohno M. Zingerone [4-(4-hydroxy-3-methoxyphenyl)-2-butanone] prevents 6-hydroxydopamine depression in mouse striatum and increases superoxide scavenging activity in Serum. Neurochem Res. 2005, 30(3), 325-332.
- 46. Mahmoud MF, Diaai AA, Ahmed F. Evaluation of the efficacy of ginger, Arabic gum and boswellia in acute and chronic renal failure. 2012. 34(1), 73-82.
- 47. Yemitan OK, Izegbu MC. Protective effects of Zingiber officinale (Zingiberaceae) against carbon tetrachloride and acetaminophen-induced hepatotoxicity in rats. Phytother Res. 2006. 20(11), 997-1002.

How to cite this article: Dissanayake KGC, Waliwita WALC, Liyanage RP. A review on medicinal uses of *zingiber officinale* (ginger). Int J Health Sci Res. 2020; 10(6):142-148.
